Giving babies the chance of a lifetime







The safest place for your baby to sleep is on their back in a cot or moses basket in your room.

Babies are more at risk of SIDS if parents or carers:

- smoke, or smoked during pregnancy
- drink alcohol
- use drugs
- are very tired
- use medication that can cause drowsiness, including those prescribed by a doctor and bought over the counter

Babies are also more at risk if they:

- were premature, born before 37 weeks
- are under three months old
- had a low birth weight, less than 2.5kg or 5 lb

To reduce the risks to babies, follow the dos and don'ts below:

Do

- place the baby to sleep in a cot, crib or moses basket on a clean, firm mattress
- place the baby on their back with their feet at the end of the cot, 'feet to foot'
- put your baby to sleep in the same room as you for the first six months - for daytime naps and at night
- remove a baby's outdoor clothing when they are inside
- keep the room temperature between 16 20°c when the baby is sleeping
- keep the house smoke free
- make sure anyone caring for a baby knows the do's and don'ts of safe sleeping
- encourage the development of good sleep patterns

Recent research suggests that breastfeeding helps protect against SIDS.

Don't

- sleep with a baby in a chair or sofa
- use duvets, quilts, cot bumpers, pillows or cot drapes in a baby's cot
- put a baby to sleep in a car seat or pushchair
- allow pets into a bedroom

To find out more visit www.lullabytrust.org.uk
(This is to act as a discussion tool for use with parents and carers.)

April 2014